

# Settings


There are a number of screens within the CommPortal interface where you can configure the settings for your Pod Connect phone system.

- [Personal Details and Security](#)
- [Call Settings](#)
- [Message Settings](#)
- [Notifications](#)
- [Reminders](#)

# Personal Details and Security

The bottom panel of the CommPortal UI displays information about your account and allows you to configure or change settings, including your password or PIN. You can also use this tab to configure a SIP desk phone.

## Personal Details and Security settings



The page is divided into the following panels.

## Personal Details

The Personal Details panel shows you information about your line:

- The name this line is configured as. Your administrator can change this if it is incorrect.
- The name of the department the line is in. If departments are not used in your business, this will say **None**.
- Whether you are an administrator, and if so, for which department.

## Devices

The Devices panel shows you the phones and other devices that you currently have configured for your account. If you have a SIP desk phone, you can use the Devices panel to configure settings for it by clicking on set keys next to its number. This will launch the Phone Configurator.

Note that, if you have a business mobile phone associated with your account that you use alongside your desk phone, you cannot see any details of this business mobile in CommPortal.

## Allocated Licenses

If you have any licenses for creating Large Meetings or Webinars, you will see the *Allocated Licenses* link that allows you to see what licenses are currently allocated to your line.

## Security

The Security panel allows you to change your password, Call Services PIN or Voicemail PIN.

In some systems, passwords and PINs may be checked to ensure that they are strong enough to prevent a malicious user guessing your password. For example, you may be prevented from using your phone number, or having consecutive or repeated numbers and/or letters. If your chosen password fails these checks, it will be rejected and you will see an error message explaining why you cannot use it.

To change your CommPortal password, follow these steps:

1. Click the **Change Password**
2. Enter your current password in the Current password text box.
3. Enter your new password in the Password text box.
4. Enter your new password in the Confirm password text box.
5. Click on **Confirm**.

You have two different PINs.

1. Your Call Services PIN, which you use to access Remote Access to Call Forwarding and to validate changes to some call services.
2. Your Voicemail PIN, which you use to access your Voicemail.

To change either of these PINs, follow these steps:

1. Click the **Change Call Services/Voicemail PIN**
2. Enter the new PIN in the New PIN text box.
3. Click on **Confirm**.


If your service provider has enabled this setting, you can also use a *Change Account Email* link to edit your account email address. This address is used for

- notification emails that are sent every time your voicemail PIN, CommPortal password, or the email address is changed
- password reset emails that are sent if you click the forgotten password link on the CommPortal login screen.

# Call Settings

The Call Settings screen allows you to configure your call service options.

## Call Settings tab



The screenshot shows the 'Call Settings' screen with a teal header and two buttons at the top right: 'Apply' and 'Cancel'. The settings are organized into four expandable sections:

- General**: The call transfer number is set to 100. There are two checkboxes: 'Withhold caller ID when making calls' (unchecked) and 'Provide caller ID for incoming calls' (checked).
- Call Forwarding**: A note states 'Ask me for a forwarding number each time I turn on forwarding from my phone using an access code:'. There are three checkboxes: 'Immediate Forwarding' (checked), 'Busy Forwarding' (checked), and 'No Answer Forwarding' (checked).
- Call Blocking**: A note states 'Choose which types of phone numbers should be blocked.'. There are seven checkboxes: 'Local' (unchecked), 'National and Mobile' (unchecked), 'International' (unchecked), 'Premium Rate' (unchecked), 'Operator' (unchecked), 'Directory' (checked), 'Access Codes' (unchecked), and 'Access codes that change configuration' (unchecked).
- Call Me Buttons**: There is one checkbox 'Enable Call Me Buttons' which is checked. Below it is a teal button labeled 'Cancel Existing Buttons'.

The General panel enables you to configure call settings, including caller ID options.

The Call Forwarding panel lets you configure whether, when you dial the Call Forwarding access codes to enable Call Forwarding, you need to enter a phone number. If you don't want to enter a phone number then your Call Forwarding service will use the number you last configured through CommPortal.

To change whether you need to enter a number when enabling Call Forwarding from your handset, follow these steps:

- Check (to require a number to be entered) or uncheck (to mean a number is not required) the type of Call Forwarding you want to change.
- Click on **Apply**.

The Call Blocking panel lets you configure what types of outgoing calls should be blocked from your line:

To block certain types of call, follow these steps:

- Check the type of call you want to block.
- Click **Apply**.

To unblock a type of call, follow these steps:

- Uncheck the type of call you want to allow.
- Click **Apply**.

The remaining panels on this page relate to particular call features. You will only see these panels if you have access to these services.

## Call Me Buttons

The Call Me Buttons panel allows you to enable or disable your Call Me service and to cancel your existing buttons. If you disable the buttons by un-checking the *Enable Call Me Buttons* checkbox, potential callers who attempt to call you, for example by using a Call Me button that you had already included in an email, will see a message stating that the service is

not currently available.

You can permanently disable all of your existing Call Me Buttons by clicking on *Cancel Existing Buttons*. If you want to reactivate the Call Me service in future, you will need to recreate and redistribute your Call Me buttons.

# Message Settings

The Message Settings screen lets you change the operation of your voice and fax messaging service, and has a series of sections.

## Messages tab



The screenshot shows the 'Message Settings' interface. At the top right are 'Apply' and 'Cancel' buttons. The 'General' section includes 'Forward messages as emails' (checked), 'Forward to:' (mchid@24sevencloud.co.uk with 'edit' and 'remove' links), 'add an email address' link, 'Leave original in inbox' (checked), and 'Voicemails' (checked). The 'Mailbox Access' section includes 'Skip PIN' (unchecked), 'Fast Login' (checked), 'Auto-play voicemail' (unchecked), and 'Voicemail playback: Details and Message' (dropdown). The 'Voicemail Greeting' section includes 'Use the greeting: Personal' (dropdown with 'edit' link) and 'more options' (link). Under 'more options' are three checkboxes: 'Use a different greeting when I'm in a call.' (unchecked, record link), 'Use different greeting outside business hours.' (unchecked, record link), and 'Use different greeting within my business group.' (unchecked, record link).

- General lets you configure some general messaging settings.
- Mailbox Access lets you configure your voice mailbox.
- Voicemail Greeting lets you configure your default and alternative greetings.

## General

You can use the General panel to do the following.

- Configure how many seconds must pass before incoming calls are forwarded to your voicemail.
- Enable or disable Live Message Screening, voicemail transcription or video messaging (if you have access to these features).
- Enable auto-forwarding of your voicemail messages by email. You can add destination e-mail addresses by clicking on the add an email address link. You will then be able to manually add an address or choose from your existing contacts.

You can also choose whether you want to leave a copy of any forwarded messages or faxes in your inbox or whether they should be deleted.

Additionally, you can configure whether or not to include action links in the outgoing message. Clicking on action links allows you to log in to your account, mark messages as read (deactivating any message waiting indicators), or even delete them.

Once you have made any changes, you should click Apply to confirm your choices.

## Mailbox Access

You can use the Mailbox Access panel to:

- configure your mailbox so that it does not require you to enter a PIN when you collect your messages
- configure your mailbox so that it logs you directly into your mailbox when you collect your messages
- configure your mailbox so that it automatically plays your new messages when you've logged in
- determine the content that is played back when you access your voicemail (the details, the message or both)
- determine the order that messages are played back in.

Once you have made any changes, you should click Apply to confirm your choices.

## Voicemail Greeting

You can use the Voicemail Greeting panel to:


- select your default greeting
- specify when alternative greetings should be used and the behavior when a greeting expires
- record or upload additional audio greetings, for example greetings to be used out-of-hours or during an extended absence
- override your default greeting with a temporary greeting for a defined period of time.

Once you have made any changes, you should click Apply to confirm your choices.

# Notifications

The Notifications tab allows you to set options for how you wish to receive notifications whenever a new message arrives for you.

## Settings - Notifications tab



The screenshot shows the 'Notifications' settings page. At the top, there are buttons for 'Clear List' and 'New Entry' in teal, and 'Apply' and 'Cancel' in grey. Below the title, there is a section for 'Message Waiting Indicator' with a checkbox labeled 'Send phone notification of incoming messages to the following phone numbers'. A table below this section has three columns: 'Phone Number', 'Urgent Voicemail', and 'All Voicemail'. The first row contains the phone number '01132991002', an unchecked checkbox under 'Urgent Voicemail', and a checked checkbox under 'All Voicemail'. To the right of the table is a close button 'X'. Below the table, there are links for 'Email', 'Outdial', and 'Override'.

Phone Number	Urgent Voicemail	All Voicemail
01132991002	<input type="checkbox"/>	<input checked="" type="checkbox"/>

## Message Waiting Indicator

The Notifications page automatically displays the MWI section where you can configure whether your phone should indicate to you when you have new messages of a particular type.

To have all new voice messages activate your phone's messages indicator, follow these steps:

1. Check All Voicemail.
2. Click on **Apply**.


To have only urgent new voice messages activate your phone's messages indicator, follow these steps:

1. Check Urgent Voicemail.
2. Click on **Apply**.

## Email Notifications

Expand **Email** to configure Email notifications, which notify different email accounts when different sorts of messages are waiting.

## Notification settings - Email tab



The screenshot shows the 'Notifications' settings page with the 'Email' section expanded. At the top, there are buttons for 'Clear List' and 'New Entry' in teal, and 'Apply' and 'Cancel' in grey. Below the title, there is a section for 'Email' with a checkbox labeled 'Send email notification of incoming messages to the following addresses'. A table below this section has three columns: 'Email Address', 'Urgent Voicemail', and 'All Voicemail'. The first row contains the email address 'henry@support.com', an unchecked checkbox under 'Urgent Voicemail', and a checked checkbox under 'All Voicemail'. To the right of the table is a close button 'X'. Below the table, there are links for 'Outdial' and 'Override'.

Email Address	Urgent Voicemail	All Voicemail
henry@support.com	<input type="checkbox"/>	<input checked="" type="checkbox"/>

To add an email address to be notified, follow these steps:

1. Click on **New Entry**:
2. Enter the email address.
3. Click on **Add**.
4. Check whether you want All Faxes, Urgent Voicemail, or All Voicemail sent to this address.
5. Click on **Apply**.

To delete an email address from this list, follow these steps:



1. Click on the Cross icon to the right of the email address: .
2. Click on **Apply**.

To delete all email addresses from this list, follow these steps:

1. Click on **Clear List**.
2. Click on **Apply**.

## Outdial Notifications

Expand **Outdial** to configure a telephone number that will be called whenever a new message arrives in your account. This is a telephone number that is not currently associated with your account.

### Outdial Notifications

Notifications Apply Cancel

[Message Waiting Indicator](#)  
[Email](#)  
[Outdial](#)

☒ Send outdial notification of incoming messages, according to the [schedule](#):  
 Specify the phone number to send outdial notifications to:   
 Choose the incoming messages that should be notified to the specified phone number:  
☐ Urgent Voicemail  
☒ All Voicemail

Set the delay between receiving the message and receiving the notification for the message:

Delay for normal messages:  
 Delay for urgent messages:

Set a retry limit and delay between retry attempts until the message is marked as read:

Number of outdial retry attempts  
 Delay between retries (minutes)  
☒ Stop retries when you answer the call  
☐ Stop retries only when you access your voicemail

[Override](#)

On this screen, you can:

- enable or disable the Outdial notifications by clicking the box on the left-hand side. When Outdial notifications are disabled, the rest of the screen will be grayed out and you will not be able to make any changes to the configuration without enabling Outdial notifications first.
- choose which events – Urgent Voicemails, All Voicemails – will trigger a notification to your chosen number
- enter or modify targets for notification types.

You can also

- configure a schedule containing periods when outdial notifications are sent – during inactive periods (for example overnight) any unheard message will still activate the MWI, but the outdial notification is postponed until the next active period in the schedule
- control the delay between receiving a message and sending out a notification
- control how many times, and at what interval, the system will retry a call if the notification is not acknowledged
- control what you have to do to acknowledge the notification: simply answer the outdial call, or proceed to access your voicemail. The second option prevents a notification being lost by an outdial call being picked up by an answering machine or by someone else.

## Override Notifications

Expand **Override** to override the schedules that you have configured for your pager and outdial notifications and send notifications according to an override profile.

### Notification settings - Override tab

Notifications Apply Cancel

[Message Waiting Indicator](#)  
[Email](#)  
[Outdial](#)  
[Override](#)

☒ Override your outdial and pager notifications, sending them according to the [schedule](#):

While the override profile is active, notify me by: Outdial

Expiry date: 27 02 2020

Specify the phone number to send outdial notifications to:

Choose the incoming messages that should be notified to the specified phone number:

☐ Urgent Voicemail  
☐ All Voicemail

Set the delay between receiving the message and receiving the notification for the message:

Immediate Delay for normal messages:  
Immediate Delay for urgent messages:

Set a retry limit and delay between retry attempts until the message is marked as read:

3 Number of outdial retry attempts  
15 Delay between retries (minutes)

☒ Stop retries when you answer the call  
☐ Stop retries only when you access your voicemail

Using the Override tab, you can

- enable or disable the override profile by clicking the box on the left-hand side. When the override profile is disabled, the rest of the screen will be grayed out and you will not be able to make any changes to the configuration without enabling the override profile first.
- determine what date the override profile will expire
- enter or modify targets for notifications
- choose which events – Urgent Voicemails or All Voicemails – will trigger a notification to your chosen number.


You can also

- configure a schedule containing periods when outdial notifications are sent – during inactive periods (for example overnight) any unheard message will still activate the MWI, but the outdial notification is postponed until the next active period in the schedule.
- control the delay between receiving a message and sending out a notification
- control how many times, and at what interval, the system will retry a call if the notification is not acknowledged
- control what you have to do to acknowledge the notification: simply answer the outdial call, or proceed to access their voicemail. The second option prevents a notification being lost because the call was picked up by an answering machine or by someone else.

# Reminders

The Reminders screen lets you set up reminder calls.

## CommPortal Reminders page



## Adding Reminders

To add a new reminder, click **New Reminder** at the top of the screen and then follow these steps.

1. Enter a description of the reminder.
2. Select the phone number on which you will receive the reminder call.
3. Select whether you want a one-off or recurring reminder using the drop-down.
4. Enter the date (for one-off reminders) and time you would like the reminder call using the Time boxes and dropdown list.
5. Click on Play/Record to record and then playback your reminder message.
6. Click on Add.
7. Click on Apply.

## Deleting Reminders

To delete a reminder, you use the Reminders list:

- To delete a single reminder, follow these steps:
  1. Click on the trash icon to the right of the reminder in the list.
  2. Click on **Apply**.
- Alternatively to delete all of your reminder calls, follow these steps:
  1. Click on **Clear List**.
  2. Click on **Apply**.